



z tools
Equipment to turn your work into works of art.
2026

LAKE

4LEVEL

tornado

REPLACE



INDEX

Leveling Systems and Spacers

- 8 - Leveling Systems**
 08 - Pressure leveling system - Like Level System
 10 - Wedge leveling system - 4 Level
 13 - Emergency leveling system - Replace
 14 - Rotation leveling system - T' Plus
 17 - Rotation leveling system - Tornado

- 18 - Spacers**
 18 - Spacers
 19 - Reusable

- 20 - Buckets and Containers**

- 22 - Tools for spreading tile adhesives**
 22 - Steel blade trowels
 23 - Trowels and small trowels

- 24 - Tools for spreading mortars, grouts and joints**
 24 - Rubber spatula
 25 - Grout spreader, squeegee and mortar spreader
 26 - Cleaning trowel
 29 - Abrasive Felts
 30 - Microfiber and Manual Sponges

- 32 - Trowel washing tray**
 32 - Trowel washing tray 32 l
 33 - Trowel washing tray 15 l

- 34 - Work Comfort**
 34 - Seat
 35 - Knee pads

- 36 - Aluminum profiles**

- 38 - Mixing tools**
 38 - Mixer 750w and mixing paddle

- 39 - Precision tools**
 39 - Mechanical pencils, wooden pencils, template, grout scraper

Tile Installation Tools

Cutting, Abrasion and Handling

- 40 - Cutting and Abrasion**
 40 - Water cutting machine - Railcut 125 inox
 42 - Angle grinder 1200w
 43 - Battery mini-grinder
 44 - Cutting discs
 48 - Grinding wheels, discs and abrasive backing pads
 49 - Flap abrasives
 50 - Tungsten abrasive disc, flange for silicon discs
 51 - Mini diamond disc, carbide ceramic drill bits
 52 - Diamond drill bit
 54 - Diamond milling cutter, coolant fluid adapters and drill guides
 55 - Abrasive sponges and backing pads

- 56 - Handling**
 56 - Pump suction cups
 57 - Battery suction cup
 58 - Slab aligner and corner suction cup
 59 - Single and double lip suction cups, slab lifter, lifter and rubber mallets

- 60 - Work tables**

- 61 - Slab lifting structure**

- 62 - Cleaning tools**
 62 - Soft bristle broom
 63 - Industrial broom and industrial brush

- 64 - General equipment**
 64 - Professional cutters
 66 - Measuring tools
 67 - Insulation cutting
 68 - Plastering equipment
 70 - Polyurethane foam applicators
 71 - Applicators for loose materials and cartridges

- 72 - Displays**

- 76 - Terms of Sale**

General Equipment

Welcome to 7C tools.

We are a young and dynamic company, specialized in the production and distribution of professional tools for tilers, born from a simple idea: making work on site more precise, faster, and safer.




Every tool you find on these pages is the result of a mix of raw material research, advanced manufacturing technology, and the expertise of our specialized team, to deliver high quality standards and a product that is authentically Made in Italy.


An organized structure designed to respond quickly to the needs of retailers and installation professionals, in Italy and around the world.

From leveling systems to cutting tools, from surface preparation to jobsite cleaning, our catalog is designed to offer a complete range of solutions dedicated to the installation of floors and wall coverings, with constant attention to innovation, practicality, and reliability.

Here you will find tools designed to help you work better, not just more.

Welcome to the world of 7C Tools.







Sponge rubber is a versatile technical material, widely used in the construction industry for the production of manual sponges and floats. Its origin dates back to natural rubber, obtained from the latex of the rubber tree.

The latex is collected through incisions made in the tree bark, from which it slowly flows into containers.

The production of sponge rubber involves the addition of expanding agents to natural or synthetic rubber, creating an internal cellular structure.

This material is then vulcanized and cut into blocks, which are further processed into sheets of varying thickness, ready for use.

The sheets are used directly or to manufacture tools such as floats used in the construction sector, particularly for cleaning grout lines and surfaces, as well as for finishing and smoothing surfaces such as plaster.





HOW TO CONTACT US



A well-established sales network in the field, made up of a team of experts, will keep you informed about all upcoming news and company strategies, will present the various promotions and initiatives we offer throughout the year, and will assist you in selecting and introducing the most suitable products for your point of sale.


If instead you need to get in direct contact with the company, you can do so by filling in the form available on our website, by contacting us via email, or by calling the company directly, where you will find the kind and helpful voice of our staff, ready to guide you in the best

possible way and, when necessary, put you in direct contact with the person or department of your interest.

In a world where pace is becoming increasingly fast, we will always keep you updated on all processes and developments following your request or order, from the production phase through to final delivery.

Visit our website

www.7ctools.com



Administrative Headquarters

Via E. Mattei 141
62014 Corridonia (MC) - ITALIA
Phone +39 0733 522 243
WhatsApp / Mobile +39 339 34 63 870



Production Unit

Via G. D'Annunzio, 3,
62010 - Appignano (MC)



Packaging Unit

Via dei Mestieri, 9
62014 - Corridonia (MC)



Logistics Unit

Via E. Mattei, 143
62014 - Corridonia (MC)



LIKE Level System



Our company is proud to present an **innovative** tile leveling system, the result of extensive **research and development** work. Thanks to a dedicated team of experts, we have created a solution that guarantees **perfect installation**, impeccable aesthetic results and **superior strength compared to the average of similar products on the market**. This achievement was made possible by close collaboration with **industry professionals**, who provided valuable feedback and suggestions throughout every phase of the project.

Our new system not only **simplifies and speeds up installers' work**, but also significantly improves the quality of installations, offering added value that translates into greater customer satisfaction.

Moreover, it **has been designed with par-**

ticular attention to large-format tiles and increased thicknesses, ensuring flawless leveling even in complex situations.

The **Like Level System**, this is the name we chose for this innovative installation system, is a **Patent Pending** product. To develop it, we started from a problem common to all leveling systems: the contact between the pressing element and the surface to be leveled. This contact often leads to unpleasant imperfections, such as stains and scratches on the surface being leveled. **The Like Level System**, in fact, **does not transmit rotations or movements by rubbing against surfaces**, but transforms all force into pressure, just like a clamp. This, in addition to not scratching or staining surfaces, does not shift the tiles, but instead locks them in position, helping to maintain a consistent

joint and avoiding imperfections. This aspect is fundamental to guarantee a final result that is aesthetically perfect and durable over time.

Another crucial point lies in speed of use. In fact, the **Like Level System** does not require pliers or other components such as tile protectors. Once installation is complete, to separate the two elements it will be

sufficient to simply release the trigger, either before or after breaking the tie rod. This system not only makes **the installation process faster and simpler**, but also **reduces the risk of errors**, increasing the efficiency and productivity of installers. In addition, the simplicity of the Like Level System allows even less experienced installers to achieve professional results with ease.



Code
0031992 Pressing Element - 75 pcs
0031991 Pressing Element - Bulk


weight

Unit
Box
Pz

Barcode
8054806646537
8054806646520




Thickness
3 - 21 mm



Installation Guide

- **Apply the tile adhesive:** Start by spreading the adhesive evenly over the surface to be tiled, using a notched trowel. Make sure the coverage is uniform to ensure perfect adhesion of the tiles.
- **Place the first tile:** Carefully position the tile on the freshly spread adhesive. Press it down to secure adhesion, maintaining a slight rotational movement to stabilize the tile and evenly distribute the adhesive underneath.
- **Insert the tie rod:** Position the tie rod with its base under the bottom surface of the tile. Ensure that half of the base is beneath the tile, and that the vertical fin of the stem is in contact with the tile's edge. This step is crucial for achieving precise leveling.
- **Place the second tile:** Arrange a second tile next to the first, aligning its edge with the other side of the stem's vertical fin, resting it on the free half of the base.
- **Insert the pressing element:** Place the pressing element on top of the stem, with the long side perpendicular to the stem's vertical fin. This device helps level and hold the tiles in position during drying.
- **Adjust the leveling:** Rotate the trigger of the pressing element upwards until the desired level is reached. At this stage,



the system will automatically select the most suitable section to level the surface, ensuring a perfect and uniform finish.

- **Remove the leveling system:** Once the adhesive has completely dried, you can proceed to remove the stem. At this point, the stem will be broken off with the pressing element still attached, leaving a smooth and even surface.
- **Remove the stem for future reuse:** After removing all tie rods, you can quickly extract the stem still locked in the pressing element simply by releasing the trigger. This step frees the pressing element for future use.


Levels from 3 to 21 mm with a single product



Clips for Like leveling system from 4 to 21 mm

Code	H-max	Unit	Box	Barcode
0032000 Like STD 1.0 mm - 250 pcs	21 mm	Bag	20	8054806646544
0032020 Like STD 1.5 mm - 250 pcs	21 mm	Bag	20	8054806646551
0032040 Like STD 2.0 mm - 250 pcs	21 mm	Bag	20	8054806646568

1 Pallet
24 Boxes
60X40X35





Wedge System

The "4 Level" is our personal reinterpretation of the classic wedge leveling system.

The strengths of this product are:

- Strength
- Precision
- Reliability
- Quality

The larger size of the stem's vertical fins greatly increases strength, the sloped base surface facilitates insertion between the mounting surface and the tile, and the wedge's "pitch" is precise and consistent.

All of this makes the 4 Level the best in its class.





Manual Pliers for Wedge Leveling System

Code	Weight	Unit	Box	Barcode
0032585 Metal Pliers	0,40 kg	Pc	-	8054806643390

Metal pliers for wedge leveling system, equipped with protective plastic bumpers, and adjustable for opening, closing, and stroke. Ergonomic plastic handle. Supplied in a hangable package.

Code	Weight	Unit	Box	Barcode
0032586 Nylon Pliers	0,30 kg	Pc	-	8054806645394

Nylon pliers for wedge leveling system, lightweight and durable, with adjustable opening, closing, and stroke. Ergonomic plastic handle. Supplied in a hangable package.

Wedge for Leveling System



Code	Weight	Unit	Box	Barcode
0032590 4Level Wedge - 75 pcs	0,70 kg	Bag	20	8054806643727
0032593 4Level Wedge - 100 pcs	0,90 kg	Bag	14	8054806645684
0032591 4Level Wedge Bulk	15 kg	Pc	1600	8054806643345

Leveling wedge, size 21 mm by 23 mm, height 18 mm. Internal reinforcing ribs.



Reinforcing ribs

Code	Weight	Unit	Box	Barcode
0032600 Light Wedge - 75 pcs	0,50 kg	Bag	20	8054806646216
0032601 Light Wedge - Bulk	11,4 kg	Pc	1600	8054806646209

Accessories for Wedge Leveling System.



Accessories for Wedge Leveling System


Code	Unit	Box	Barcode
0032587 4Level Cover - 50 pcs	Bag	24	8054806645875
0031587 Universal Cover - 75 pcs	Bag	24	8054806645370

The protective cover prevents the wedge from coming into direct contact with the surface to be leveled, creating a sliding of the surface in the direction of the wedge insertion, and also prevents scratches and stains.



Code	Unit	Box	Barcode
0032584 Angle Bracket - 10 pcs	Bag	6	8054806645806

Rigid plastic bracket for placing tiles in an orthogonal position without using profiles. Compatible with 4Level, T'Plus, and Like leveling systems.



Bases for wedge leveling system up to 12 mm

1 Pallet
24 Boxes
60X40X35




Code	H-max	Unit	Box	Barcode
0032615 4Level STD 0.5 mm - 150 pcs	12 mm	Bag	24	8054806643406
0032618 4Level STD 0.5 mm - 250 pcs	12 mm	Bag	14	8054806645691
0032616 4Level STD 0.5 mm - bulk	12 mm	Pc	2800	8054806643857
0032620 4Level STD 1.0 mm - 150 pcs	12 mm	Bag	24	8054806643369
0032623 4Level STD 1.0 mm - 250 pcs	12 mm	Bag	14	8054806645707
0032621 4Level STD 1.0 mm - bulk	12 mm	Pc	2800	8054806643734
0032610 4Level STD 1.5 mm - 150 pcs	12 mm	Bag	24	8054806643352
0032613 4Level STD 1.5 mm - 250 pcs	12 mm	Bag	14	8054806645714
0032611 4Level STD 1.5 mm - bulk	12 mm	Pc	2800	8054806643741
0032635 4Level STD 2.0 mm - 150 pcs	12 mm	Bag	24	8054806643376
0032638 4Level STD 2.0 mm - 250 pcs	12 mm	Bag	14	8054806645721
0032636 4Level STD 2.0 mm - bulk	12 mm	Pc	2800	8054806643758
0032655 4Level STD 3.0 mm - 150 pcs	12 mm	Bag	24	8054806643383
0032658 4Level STD 3.0 mm - 250 pcs	12 mm	Bag	14	8054806645738
0032656 4Level STD 3.0 mm - bulk	12 mm	Pc	2800	8054806643765

Plastic base for wedge leveling system.

Bases for wedge leveling system up to 20 mm


1 Pallet
24 Boxes
60X40X35



Code	H-max	Unit	Box	Barcode
0032722 4Level Maxi 1.0 mm - 100 pcs	20 mm	Bag	24	8054806645530
0032721 4Level Maxi 1.0 mm - bulk	20 mm	Pc	2500	8054806643895
0032712 4Level Maxi 1.5 mm - 100 pcs	20 mm	Bag	24	8054806645523
0032711 4Level Maxi 1.5 mm - bulk	20 mm	Pc	2500	8054806643918
0032737 4Level Maxi 2.0 mm - 100 pcs	20 mm	Bag	24	8054806645547
0032736 4Level Maxi 2.0 mm - bulk	20 mm	Pc	2500	8054806643932
0032757 4Level Maxi 3.0 mm - 100 pcs	20 mm	Bag	24	8054806645554
0032756 4Level Maxi 3.0 mm - bulk	20 mm	Pc	2500	8054806643956

Plastic base for wedge leveling system.



[illegible]

REPLACE



EUIPO
EUROPEAN UNION
INTELLECTUAL PROPERTY OFFICE


**DISEGNO
MODELLO
COMUNITARIO**


REPLACE was designed to drastically reduce installation time and solve the problem of "broken base" or "broken stem." Remove the remnants of broken stems, leaving the base embedded under the tile, and place the Replace next to the broken base. Simply tilt the piece and insert the arrow tip of the base into the joint, pushing it firmly until the base reopens beneath the tile. Done! Simply pull the base upwards to check that it has hooked, then insert the wedge. The break occurs in the same way as with standard leveling bases.

Code	H-max	Unit	Box	Barcode
0032803 Replace 4Level - 30 pcs	12 mm	Pack	12	8054806647015
0032800 Replace 4Level - 100 pcs	12 mm	Bag	20	8054806646490

**Ready for sale:
counter display
box included**







Knob for Rotational Leveling System



Code	Weight	Unit	Box	Barcode
0031790 Plus Knob - 50 pcs	0,50 kg	Bag	20	8054806643420
0031792 Plus Knob - 150 pcs	1,80 kg	Box	6	8054806643444
0031791 Plus Knob - Bulk	10,00 kg	Pc	1000	8054806646353

Knob for Rotational Leveling System, with 4 spokes and fins to increase grip, and lateral holes to check the correct positioning of the tiles. Precise, fast, and durable threading, with knurling on the top part for better grip during the initial screwing phase.

Accessories for Rotational Leveling System




Code	Unit	Box	Barcode
0031587 Universal Cover - 75 pcs	Bag	24	8054806645370



Code	Unit	Box	Barcode
0031585 Protective Shield - Roll 100 pcs	Pc	12	8054806640214

The protective accessories prevent the knob from coming into direct contact with the surface to be leveled, causing the surface to rotate in the screwing direction, and also prevent scratches and stains.



Tie Rods for Rotational Leveling System from 4 to 18 mm

1 Pallet
24 Boxes
60X40X35



Code	H-max	Unit	Box	Barcode
0031800 Plus STD 1.0 mm - 250 pcs	18 mm	Bag	20	8054806646018
0031801 Plus STD 1.0 mm - Bulk	18 mm	Pc	7000	8054806646179
0031820 Plus STD 1.5 mm - 250 pcs	18 mm	Bag	20	8054806646025
0031821 Plus STD 1.5 mm - Bulk	18 mm	Pc	7000	8054806646186
0031840 Plus STD 2.0 mm - 250 pcs	18 mm	Bag	20	8054806646032
0031841 Plus STD 2.0 mm - Bulk	18 mm	Pc	7000	8054806646193

Plastic tie rod for Rotational Leveling System. Type with linear spacer.



Code	H-max	Unit	Box	Barcode
0031805 Plus spacer T 1.0 mm - 250 pcs	18 mm	Bag	20	8054806646049
0031806 Plus spacer T 1.0 mm - Bulk	18 mm	Pc	7000	8054806646407
0031825 Plus spacer T 1.5 mm - 250 pcs	18 mm	Bag	20	8054806646056
0031826 Plus spacer T 1.5 mm - Bulk	18 mm	Pc	7000	8054806646421
0031845 Plus spacer T 2.0 mm - 250 pcs	18 mm	Bag	20	8054806646063
0031846 Plus spacer T 2.0 mm - Bulk	18 mm	Pc	7000	8054806646223

Plastic tie rod for Rotational Leveling System. Type with T-spacer.



Code	H-max	Unit	Box	Barcode
0031810 Plus spacer + 1.0 mm - 250 pcs	18 mm	Bag	20	8054806646070
0031811 Plus spacer + 1.0 mm - Bulk	18 mm	Pc	7000	8054806646230
0031830 Plus spacer + 1.5 mm - 250 pcs	18 mm	Bag	20	8054806646087
0031831 Plus spacer + 1.5 mm - Bulk	18 mm	Pc	7000	8054806646247
0031850 Plus spacer + 2.0 mm - 250 pcs	18 mm	Bag	20	8054806646094
0031851 Plus spacer + 2.0 mm - Bulk	18 mm	Pc	7000	8054806646254


Plastic tie rod for Rotational Leveling System. Type with cross-spacer.

- + Higher: levels up to 18 mm.
- + Stronger: 20% more resistance thanks to the new breaking point.



EUROPE PATENT

è.. tornado



Knob for Tornado Rotational Leveling System



Code	Unit	Box	Barcode
0031593 Black Knob - 50 pcs	Pc	20	8054806640023
0031592 Black Knob - 150 pcs	Box	6	8054806640016
0031591 Black Knob - Bulk	Bag	1000	8054806647022

Knob for Rotational Leveling System, with 4 spokes and fins to increase grip, and lateral holes to check the correct positioning of the tiles. Precise, fast, and durable threading, with knurling on the top part for better grip during the initial screwing phase. Made from recycled material.

Tie Rods for Tornado Rotational Leveling System from 3 to 12 mm



Code	H-max	Unit	Box	Barcode
0031620 Tornado STD 1.0 mm - 250 pcs	12 mm	Bag	24	8054806640108
0031621 Tornado STD 1.0 mm - Bulk	12 mm	Pc	7000	8054806647046
0031610 Tornado STD 1.5 mm - 250 pcs	12 mm	Bag	24	8054806640092
0031611 Tornado STD 1.5 mm - Bulk	12 mm	Pc	7000	8054806647039
0031635 Tornado STD 2.0 mm - 250 pcs	12 mm	Bag	24	8054806640122
0031636 Tornado STD 2.0 mm - Bulk	12 mm	Pc	7000	8054806647053

Plastic tie rod for Rotational Leveling System. Type with linear spacer.

This, in our view, is the "big brother" of the rotational system: same logic of use, but with more "experience." The breaking point is the classic one, with its break guide positioned along the junction line between the base and the vertical stem.

Result? A good compromise between a clean, controlled break and enough strength to level thicknesses up to 12 mm.

The product is available in the standard version, with a linear spacer, in sizes 1.0 mm – 1.5 mm – 2.0 mm, allowing precise joint management without complicating the work.

The threading is compatible with the PLUS system: super fast and precise, it glides smoothly, grips immediately, and lets you work faster with more control.



Spacers

Increased size, excellent rigidity and strength.



Code	Lung	Unit	Box	Barcode
0031482 T 1.0 mm - 500 pcs	33 mm	Bag	20	8054806642393
0031486 T 1.5 mm - 500 pcs	33 mm	Bag	20	8054806644113
0031490 T 2.0 mm - 500 pcs	33 mm	Bag	20	8054806643000
0031510 T 3.0 mm - 500 pcs	33 mm	Bag	20	8054806642423
0031530 T 4.0 mm - 250 pcs	33 mm	Bag	20	8054806642430
0031550 T 5.0 mm - 250 pcs	39 mm	Bag	20	8054806642454
0031564 T 6.0 mm - 200 pcs	39 mm	Bag	12	8054806644359
0031568 T 7.0 mm - 150 pcs	39 mm	Bag	12	8054806644397
0031572 T 8.0 mm - 150 pcs	42 mm	Bag	12	8054806644427
0031576 T 9.0 mm - 100 pcs	42 mm	Bag	12	8054806644465
0031582 T 10.0 mm - 100 pcs	42 mm	Bag	12	8054806644519



Code	H-max	Unit	Box	Barcode
0031483 + 1.0 mm - 500 pcs	33 mm	Bag	20	8054806642409
0031488 + 1.5 mm - 500 pcs	33 mm	Bag	20	8054806644137
0031500 + 2.0 mm - 500 pcs	33 mm	Bag	16	8054806642416
0031520 + 3.0 mm - 500 pcs	33 mm	Bag	14	8054806643017
0031540 + 4.0 mm - 250 pcs	33 mm	Bag	18	8054806642447
0031560 + 5.0 mm - 250 pcs	39 mm	Bag	18	8054806642461
0031566 + 6.0 mm - 200 pcs	39 mm	Bag	12	8054806644373
0031570 + 7.0 mm - 150 pcs	39 mm	Bag	12	8054806644540
0031574 + 8.0 mm - 150 pcs	42 mm	Bag	12	8054806644441
0031578 + 9.0 mm - 100 pcs	42 mm	Bag	12	8054806644489
0031580 + 10.0 mm - 100 pcs	42 mm	Bag	12	8054806644557



Code	H-max	Unit	Box	Barcode
0031504 Y 90° 2.0 mm - 500 pcs	33 mm	Bag	14	8054806644175
0031524 Y 90° 3.0 mm - 500 pcs	33 mm	Bag	14	8054806644236
0031544 Y 90° 4.0 mm - 500 pcs	33 mm	Bag	14	8054806644298




Code	H-max	Unit	Box	Barcode
0031506 Y 120° 2.0 mm - 500 pcs	33 mm	Bag	14	8054806644199
0031526 Y 120° 3.0 mm - 500 pcs	33 mm	Bag	14	8054806644250
0031546 Y 120° 4.0 mm - 500 pcs	33 mm	Bag	14	8054806644311

It is often a mistake to think that some items have become so standardized within the routine of certain processes that they cannot be improved. We at 7c pay close attention to these situations and try to seize the opportunity to further improve items that seem to have reached full maturity from a technical and qualitative standpoint.

This is the case with our version of plastic spacers, which offer a different color for each joint/gap size.


In fact, we applied the idea successfully developed in our line of levelers to the simple spacers, making the item immediately recognizable on site with this simple change, avoiding unnecessary time loss.

Therefore, our entire line of spacers, in addition to being made with high-quality raw materials, features different colors assigned to the various joint/gap sizes.



Reusable spacers

Respects the environment, avoids waste.



Reusable tile spacers represent an ecological and economical choice for those working in the tile installation sector. By using these tools, the consumption of single-use plastic is significantly reduced, thus helping to decrease environmental pollution. These spacers, in fact, are designed to be reused multiple times, avoiding the waste of resources. In addition to environmental benefits, there is a significant economic saving: purchasing reusable spacers involves a slightly higher initial investment, but this cost is largely offset by their long lifespan and the possibility of using them for numerous projects. In conclusion, choosing reusable tile spacers means making a responsible choice for the environment and a cost-effective one for your wallet.



Code	Unit	Box	Barcode
0033620 STD 1.0 mm - 100 pcs	Bag	14	8054806644571
0033610 STD 1.5 mm - 100 pcs	Bag	14	8054806644694
0033635 STD 2.0 mm - 100 pcs	Bag	14	8054806644632
0033655 STD 3.0 mm - 100 pcs	Bag	14	8054806644755
0033675 STD 4,0 mm - 100 pcs	Bag	14	8054806644816



Code	Unit	Box	Barcode
0033624 T 1.0 mm - 100 pcs	Bag	14	8054806644595
0033614 T 1.5 mm - 100 pcs	Bag	14	8054806644717
0033630 T 2.0 mm - 100 pcs	Bag	14	8054806644656
0033650 T 3.0 mm - 100 pcs	Bag	14	8054806644779
0033670 T 4.0 mm - 100 pcs	Bag	14	8054806644830



Code	Unit	Box	Barcode
0033627 + 1.0 mm - 100 pcs	Bag	14	8054806644618
0033617 + 1.5 mm - 100 pcs	Bag	14	8054806644731
0033640 + 2.0 mm - 100 pcs	Bag	14	8054806644670
0033660 + 3.0 mm - 100 pcs	Bag	14	8054806644793
0033680 + 4.0 mm - 100 pcs	Bag	14	8054806644854



Code	Unit	Box	Barcode
0031470 Wedge 14° - 250 pcs	Bag	20	8054806642379
0031480 Wedge 20° - 250 pcs	Bag	12	8054806642386



Code	Unit	Box	Barcode
0033561 Multispacer five - 75 pcs	Bag	14	8054806644892



Code	Unit	Box	Barcode
0033591 Multispacer Wedge - 150 pcs	Bag	14	8054806644885

Buckets and Containers

Buckets for mixing tile adhesives and glues must be resistant to impacts and abrasion caused by tools such as trowels and mixing whisks. These characteristics are essential to ensure the bucket's durability, the quality of the mixing, and safety on site. All of these qualities are present in our range of buckets.



Code	Liters	Unit	Box	Barcode
0041052 Mixer bucket	65	Pc	1	8054806645103

Impact-resistant plastic bucket, 65 L capacity, without external handles. Ideal for use with mixing machines. Compatible with our Goliath Mixer. Dimensions 58x58x34 cm.



Code	Liters	Unit	Box	Barcode
0031035 Round Debris Box	45	Pc	5	8054806642157

Impact-resistant plastic bucket, 45 L capacity, with external handles. Ideal for mixing mounting adhesives and mortars.



Code	Liters	Unit	Box	Barcode
0031034 Multipurpose Bucket	32	Pc	12	8054806645202

Impact-resistant multipurpose plastic bucket, 32 L capacity, with external handles. Can be used for various tasks, including non-construction activities.



Code	Liters	Unit	Box	Barcode
0031032 Flex Bucket	42	Pc	20	8054806644878

Ultra-flexible soft plastic bucket, 32 L capacity, with external handles. Can be used for various tasks, including non-construction activities.



Code	Liters	Unit	Box	Barcode
0031033 Gray Adhesive Bucket	25	Pc	5	8054806644076

Construction plastic bucket, 25 L capacity, with 8 mm handle. Dimensions 40x40 cm, height 27 cm.



Choose our classic blue bucket

1 Pallet
240 buckets

The blue safety bucket is designed to ensure safety and durability in construction work, even at low temperatures. With a capacity of 10 liters, it is made of impact-resistant plastic and features a 7 mm handle bent inward to prevent snagging on clothing during transport. Dimensions of 34×34 cm and a height of 21 cm make it perfect for a wide range of on-site applications. The internal graduated wall in liters allows for precise mixing of materials and liquids. It is the ideal bucket for those working in cold environments, where the reliability of materials makes all the difference.



Graduated scale

7mm handle



Handle turned inside

Code
0031020 Blue Bucket

Liters
10

Unit
Pc

Box
12

Barcode
8054806642126

Customize this bucket with your engraved logo:
it won't peel off or fade.

Choose the color and make your brand highly
visible. Request information and order now.

1 Pallet
240 buckets

Stronger, safer, same reliability

This version maintains the original dimensions (34×34 cm, height 21 cm, 10-liter capacity) but stands out for several key innovations. The plastic used is stiffer, offering greater structural strength even under particularly demanding working conditions.

Additionally, a safety partition has been integrated to protect fingers from accidental pinching by the metal handle, providing increased safety during use. This version is also internally graduated, preserving the convenience for precise mixing of materials. It is the ideal choice for those seeking a higher level of protection and durability, especially in high-activity environments.

Code
0031022 Orange Bucket

Liters
10

Unit
Pc

Box
12

Barcode
8054806647060



Anti-impact technology: the handle stops before making contact with the plastic rim, preventing accidental knocks to the hand holding the handle.



Round stainless steel trowel, no more waste.

Code
0033148 Round Trowel

Dim
17x24

Unit
Pc

Box
12

Barcode
8054806642706



Notched trowel plate

Code	Notch	Unit	Box	Barcode
0033076 28x12	5 mm	Pc	6	8054806642737
0033078 28x12	7.5 mm	Pc	6	8054806642744
0033080 28x12	10 mm	Pc	6	8054806642751
0033082 28x12	12 mm	Pc	6	8054806642768
0033086 28x12 - Angled	8 mm	Pc	6	8054806642812
0033088 28x12 - Curved	20 mm	Pc	6	8054806645004



Code	Notch	Unit	Box	Barcode
0033092 36x12	7.5 mm	Pc	6	8054806642782
0033094 36x12	10 mm	Pc	6	8054806642799
0033096 36x12	12 mm	Pc	6	8054806642805



Code	Notch	Unit	Box	Barcode
0033128 48x14	7.5 mm	Pc	6	8054806642836
0033130 48x14	10 mm	Pc	6	8054806642843
0033132 48x14	12 mm	Pc	6	8054806642850



Smooth trowel plate

Code	Unit	Box	Barcode
0033140 28x12 - PVC	Pc	6	8054806642867
0033145 28x12 - PVC light	Pc	6	8054806645592



Code	Unit	Box	Barcode
0033070 28x12	Pc	6	8054806642720
0033090 36x12	Pc	6	8054806642775
0033110 48x12	Pc	6	8054806645585
0033120 48x14	Pc	6	8054806642829



Putty knife with wooden handle

Code	Dim	Unit	Box	Barcode
0033154 Wooden handle	4 cm	Pc	6	8054806642874
0033155 Wooden handle	5 cm	Pc	6	8054806642881
0033156 Wooden handle	6 cm	Pc	6	8054806642898
0033157 Wooden handle	7 cm	Pc	6	8054806642904
0033158 Wooden handle	8 cm	Pc	6	8054806642911
0033160 Wooden handle	10 cm	Pc	6	8054806642935
0033162 Wooden handle	12 cm	Pc	6	8054806642942



Trowel

Small Steel-Blade Trowels

Code	Size	Unit	Box	Barcode
0033000 Round Tip	14	Pc	12	8054806642485
0033001 Square Tip	14	Pc	12	8054806642492
0033002 Pointed Tip	14	Pc	12	8054806642508
0033003 Cat's Tongue Tip	14	Pc	12	8054806642515
0033004 Olive Leaf Tip	14	Pc	12	8054806642522



Steel-Blade Trowels

Code	Size	Unit	Box	Barcode
0033011 Round Tip	16	Pc	6	8054806642539
0033012 Round Tip	18	Pc	6	8054806642546



Code	Size	Unit	Box	Barcode
0033021 Square Tip	16	Pc	6	8054806642553
0033022 Square Tip	18	Pc	6	8054806642560



Stainless Steel Trowel with Wooden Handle

Code	Size	Unit	Box	Barcode
0033006 Stainless Steel Trowel Open Angle	11	Pc	6	8054806646933
0033007 Stainless Steel Trowel Closed Angle	11	Pc	6	8054806646940
0033008 Stainless Steel Joint Trowel	18	Pc	6	8054806646957



Rubber spatula

The rubber spatula is an essential tool for grouting floor and wall joints. Made from high-quality plastic, it is produced through a two-step process that allows the rubber to be fused directly to the handle.

This ensures maximum stability and precision during grout application. Suitable for any type of grout, the spatula features an ergonomic handle that improves grip and reduces fatigue.


Code
0031080 Fixed rubber spatula

Size
10x25

Unit
Pz

Box
10

Barcode
8054806640245



Code
0031100 Duo rubber spatula

Size
10x25

Unit
Pz

Box
10

Barcode
8054806645790

Achieve 2 different types
finishes using a single tool

In a world where finishes are increasingly demanding, the adaptability of tools is essential. Our rubber spatula offers two levels of finish to suit the type of work: one side angled for a fuller, more uniform coverage, ideal when a smooth, consistent surface is needed; the other side angled at 45° to create a deeper, more defined joint, perfect when precision matters. A dual function that makes the spatula truly versatile for professionals in the field.





Squeegee

Code	Size	Unit	Box	Barcode
0033355 Without handle	60 cm	Pc	10	8054806644021
0000030 Wooden handle only S/F	150 cm	Pc	25	8054806643116

60 cm squeegee with rigid rubber, steel frame, without handle.
Equipped with a handle holder and a through-hole for a secure screw attachment.



Mortar spreader

Code	Size	Unit	Box	Barcode
0033350 Without handle	45 cm	Pc	20	8054806643994
0033351 Without handle	60 cm	Pc	20	8054806644007
0033352 Without handle	75 cm	Pc	20	8054806644014
0000030 Wooden handle only S/F	150 cm	Pc	25	8054806643116

Mortar spreader, various sizes, without handle, with black sponge rubber double-lip, steel frame with handle holder. Resistant to the acidic components of mortars and cements.



Steel mortar spreader

Code	Size	Unit	Box	Barcode
0033300 Without handle	50 cm	Pc	12	8054806643987
0033309 Aluminum handle only	140 cm	Pc	12	8054806643659
0033310 Aluminum handle only	180 cm	Pc	12	8054806645028
0033311 Telescopic aluminum handle	134 cm	Pc	12	8054806647220

50 cm steel mortar spreader, sturdy and lightweight, ideal for spreading cementitious, bituminous, sand-based mixtures, and more. Without handle.




Cleaning trowel

Yellow sponge.
High absorbency and
long-lasting durability.

Fixed cleaning trowel

Code	Size	Unit	Box	Barcode
0031235 Yellow sponge	14x28x3	Pc	12	8054806640375
0031236 Yellow sponge with cuts	14x28x3	Pc	12	8054806645776




Detachable cleaning trowel

Code	Size	Unit	Box	Barcode
0031260 Yellow sponge – complete	14X29x3	Pc	20	8054806640405
0031270 Yellow sponge – replacement	14X29x3	Pc	40	8054806640412
0031215 Replacement handle	-	Pc	12	8054806647305

Detachable cleaning trowel.
One handle, multiple inter-
changeable sponges.

Thanks to the sliding carriage with quick-lock mechanism, the sponge attaches to the base securely and stably: changing the pad requires no tools and takes only a few moments. Our sponges, among the best on the market, are designed to deliver excellent performance in terms of absorbency, durability, and compression resistance, while maintaining consistent comfort during use.






***Tobacco sponge.
A good balance between
effective absorbency
and a cost-effective price.***

Fixed cleaning trowel

Code	Dim	Unit	Box	Barcode
0031230 Tobacco sponge	14x28x3	Pc	12	8054806640368
0031231 Tobacco sponge with cuts	14x28x3	Pc	12	8054806645783



Detachable cleaning trowel

Code	Dim	Unit	Box	Barcode
0031240 Tobacco sponge – complete	14X29x3	Pc	20	8054806640382
0031250 Tobacco sponge – replacement	14X29x3	Pc	40	8054806640399
0031215 Replacement handle	-	Pc	12	8054806647305




**Epoxy Grout, a solution
for optimal cleaning?
Use a cellulose sponge.**

Sponges for cementitious grouts are not recommended for epoxy grouting, as their softness makes them vulnerable to the aggressiveness of epoxy grout and this can cause the sponge to adhere to the joints and its consequent damage. To achieve optimal results in epoxy grouting, it is advisable to use sponges specifically designed to withstand the chemical composition and consistency of epoxy grout. These special sponges are made with more resistant and less porous materials, which prevent excessive absorption of the product and ensure effective cleaning without deteriorating. It is essential to follow the manufacturer's instructions regarding working times and cleaning methods, as epoxy grout tends to harden rapidly, making the removal of residues more difficult.


Fixed cleaning float

Code	Size	Unit	Box	Barcode
0031237 Cellulose sponge	14x28x3	Pc	20	8054806646162



Removable cleaning float

Code	Size	Unit	Box	Barcode
0031220 Cellulose sponge – complete	14X29x3	Pc	20	8054806646926
0031225 Cellulose sponge – replacemen	14X29x3	Pc	40	8054806646919
0031215 Replacement handle	-	Pc	12	8054806647305



Abrasive felts

Abrasive felts are another item in our product range, ideal for removing dirt, glue, and grout residues after tile installation. Our current offer includes two variants: the circular version, compatible with common polishing machines on the market, and the rectangular version, to be used with floats equipped with Velcro. These felts

ensure effective and precise cleaning, adapting to different operational needs.

The range also includes various abrasive grits, from the most aggressive (black felt) to the softest (white felt), to meet all on-site requirements, from removal to polishing.

Abrasive Felt Disc

Code		Ø	Unit	Box	Barcode
0030001 Extra	■	40,60	Pc	6	8054806643796
0030004 Soft	□	40,60	Pc	6	8054806643826



Rectangular Abrasive Felt

Code		Size	Unit	Box	Barcode
0030020 Extra	■	12x25	Pc	12	8054806640276
0030030 Hard	■	12x25	Pc	12	8054806640283
0030035 Medium	■	12x25	Pc	12	8054806643451
0030040 Soft	□	12x25	Pc	12	8054806643055



Felt Holder Float

Code	Size	Unit	Box	Barcode
0030013 Handle + Extra + Soft	12x25	Pc	6	8054806643772
0030011 Felt holder handle	12x25	Pc	6	8054806640269





Microfiber

This product has been specifically designed for the final cleaning of grout lines after grouting, when the bulk is done but those annoying residues remain. After applying the grout, it is essential to remove the haze and surface residues, achieving a clean grout line and a uniform tile. For this reason, our microfiber cloths are designed to

capture and hold grout dust, smudges, and micro-residues with very few passes, without scratching or stressing the surface. The weave is soft yet effective: it glides smoothly over the tile, works precisely along the grout edge, and helps leave the floor clean and "finished," not "almost finished."

Code	Size	Unit	Box	Barcode
0031196 Microfiber cloth 250g blue	40x40	Pc	6	8054806646476
0031197 Microfiber cloth 400g orange	40x40	Pc	6	8054806646483



Manual Cellulose Sponge

With epoxy grout, it is one of the most useful applications, because it helps you manage residues in a more controlled and clean way. But it doesn't stop there: outside of epoxy use, it works like a regular high-quality sponge, perfect for daily cleaning

on-site and during finishing, with good absorbency and smooth gliding over surfaces. The crescent shape makes a difference: it improves grip, makes handling more comfortable, and gives you greater precision in movements, especially near the grout lines.

Code	Size	Unit	Box	Barcode
0031202 With cover	20x7x5	Pc	80	8054806643840
0031200 Without cover	20x7x5	Pc	100	8054806640498



Manual Sponges Abrasive and Absorbent



Code	Size	Unit	Box	Barcode
0031206 Yellow/abrasive	16x9x7	Pc	36	8054806644069

Dual use: the Swipex side has high absorbency and allows you to remove large amounts of cementitious grout, while the abrasive side enables the removal of even the most stubborn residues.



Code	Size	Unit	Box	Barcode
0031204 Cellulose/abrasive	16x9x7	Pc	36	8054806644052

Dual use: the cellulose side is ideal for removing epoxy grouts, while the abrasive side allows the removal of even the most stubborn residues.



Code	Size	Unit	Box	Barcode
0031205 Abrasive	16x9x7	Pc	36	8054806644045

Medium-grit synthetic abrasive sponge, useful for removing residues of floor adhesives and grouts.



Code	Size	Unit	Box	Barcode
0031201 Cellulose sponge	16x12x4	Pc	10	8054806642591

The cellulose sponge is ideal for removing epoxy grouts.



Code	Size	Unit	Box	Barcode
0031210 Yellow	16x11x6	Pc	36	8054806640504

The Swipex sponge has high absorbency and allows you to remove large amounts of cementitious grout with each pass.



Code	Size	Unit	Box	Barcode
0031170 Tobacco	16x11x6	Pc	36	8054806640467

The Tobacco sponge offers excellent value for its absorbency. It is used to remove residues of cementitious grout.



Code	Size	Unit	Box	Barcode
0031181 Pink	16x11x6	Pc	36	8054806643611

The Pink sponge is used for finishing work on cementitious grout.



Code	Size	Unit	Box	Barcode
0031180 Grey	16x11x6	Pc	36	8054806640474

The Grey sponge is used for finishing work on cement plasters.



Code	Size	Unit	Box	Barcode
0031190 Orange	16x11x6	Pc	36	8054806640481

The Orange sponge is made of natural rubber and is used for finishing work on cementitious plasters, cleaning of grouting, etc..



Code	Size	Unit	Box	Barcode
0031207 Black double-action sponge	22x10x7	Pc	10	8054806647077

The double surface allows you to use a more "aggressive" side to remove stubborn dirt and a more delicate side for finishing and more sensitive surfaces. Ergonomic shape with contoured profile.



Code	Size	Unit	Box	Barcode
0032300 32 Lt - Galeone	57x45x39	Pc	1	8054806645219
0032301 Galeone Float Washing Kit complete with:	57x45x39	Pack	1	8054806647206
0032306 Yellow sponge float	42x13x3	Pc	1	
0033311 Modular aluminum handle	134	Pc	1	
0031260 Yellow sponge float	29x14x3	Pc	1	

"GALEONE" float washing bucket spare parts

Code	Unit	Box	Barcode
0032302 Complete roller shaft	Pack	6	8054806647237
0032303 Roller retainer	Pc	4	8054806647244
0032304 Grid	Pc	2	8054806647251
0032305 Wheel	Pc	4	8054806647268


Float washing bucket

The 7C Tools float washing tray is designed to offer practicality and efficiency in cleaning floats.

With a capacity of 15 liters, this tray is made of durable plastic, ensuring long-lasting performance and ease of use. Its compact dimensions allow for quick and practical use, while the two integrated wheels make transport easier.

The three rows of rollers provide high resistance during the wringing phase of the floats, ensuring fast and effective cleaning.

Ideal for construction professionals, the 7C Tools float washing tray is an essential accessory to keep your tools always clean and ready for use.



Two rollers made of durable plastic with a steel core inside, making them long-lasting and resistant over time.



Grid support made with a steel tube, practically indestructible.



Float wringing system made with steel springs, allowing a fast and smooth pedal return.

Spare Parts for "GALEONE" Float Washing Tray

Code	Size	Unit	Box	Barcode
0032306 Yellow sponge trowel	42x13x3	Pc	1	8054806647213
0033311 Modular aluminum handle	134	Pc	1	8054806647220
0032308 Yellow sponge replacement	42x13x3	Pc	1	8054806645110



Float washing bucket

The "NAUTILUS" float washing tray is practical and efficient for cleaning floats.

With a 15-liter capacity and durable plastic, it ensures longevity and ease of use.

Compact and equipped with two wheels, it is easy to transport. The three rows of rollers with steel cores ensure effective wringing. Perfect for professionals, it keeps tools clean and ready for use.



NAUTILUS

Code	Size	Unit	Box	Barcode
0031321 15 Lt - Nautilus	63x32x25	Pc	1	8054806640511
0031326 Nautilus Float Washing Kit	63x32x25	Pc	1	8054806647275
Complete with:				
0031260 Yellow sponge – complete	29x14x3	Pc	1	
0031080 Fixed rubber spatula	10x25	Pc	1	

Code	Unit	Box	Barcode
0031322 Complete roller shaft	Pack	3	8054806640528
0031323 Handle	Pc	3	8054806642270
0031324 Grid	Pc	3	8054806642287



Code	Size	Unit	Box	Barcode
0031320 15 Lt - Caravella	51x27x23	Pc	1	8054806644564

CARAVELLA



Float washing bucket

The "CARAVELLA" float washing bucket is a functional and economical solution for cleaning floats.

With a 15-liter capacity, it is made of lightweight plastic, designed to ensure practicality for daily use.

Equipped with three rows of plastic rollers, it provides adequate wringing for satisfactory results, even with less premium materials.



Quick assembly system



Seat height adjustment system



4 Swivel wheels



Code
0030075
0030076 Replacement wheels – 4 pcs

Size	Unit	Box
39x59	Pc	1
-	Pack	1

Barcode
8054806640313
8054806643970

Comfort Seat

Essential for anyone who wants to protect their back and knees.

We have always been committed to improving working conditions on construction sites, placing workers' health first in the design of our products.

Our little seat is a clear example: its ergonomic design reduces the risk of lumbar problems and knee inflammation.

This system allows for a comfortable position that distributes weight across the buttocks, knees, and tibial surface, thereby relieving stress on joints and muscles.

Sturdy and easy to transport, the seat is equipped with four wheels that make moving it around during use simple, making it a practical and functional tool to enhance both efficiency and well-being for workers on-site.



Knee Pads

Knee pads are essential in construction work to protect the knees from impacts and hard surfaces.

Used primarily during flooring installation or maintenance work, they prevent injuries such as bursitis and tendonitis, enhancing worker comfort and safety.

Choosing the right model, with adequate padding and durability, is crucial to ensure effective protection. Proper use of knee pads reduces the risk of injury and preserves long-term health.



Code	Unit	Box	Barcode
0030073 Extra Grip Non-slip	Pa	12	8054806645622

Non-slip work knee pads for tilers, with gel padding, adjustable neoprene strap, bi-material surface, and accessory pocket.



Code	Unit	Box	Barcode
0030072 Double Strap	Pa	12	8054806645615

Work knee pads for tilers with double strap, gel padding for comfort, and bi-material surface with improved grip.



Code	Unit	Box	Barcode
0030070 Professional Knee Pad	Pa	12	8054806640290

Professional adjustable rubber knee pads, designed to protect the knees and reduce fatigue during extended periods of kneeling.



Code	Unit	Box	Barcode
0030071 Light Knee Pad	Pa	12	8054806640306

"Light" rubber knee pads with adjustable attachment, ideal for protecting the knees and reducing fatigue during prolonged kneeling work.

Aluminum profiles

Aluminum profiles are technical solutions designed for the protection and finishing of corners, edges, and junctions on wall and floor coverings. Made of aluminum, they offer a good balance between lightness, dimensional stability, and surface quality. Their function is twofold: to protect tile edges from chipping and micro-breakages, especially on porcelain stoneware, rectified tiles, and large formats, and to provide a precise finish to terminal lines, level changes, and joints, avoiding exposed cuts and discontinuities on ceramic edges. In this way, the durability of the covering is

improved and the perceived quality of the finished work is enhanced. The range presented in the catalog is configured as a "must have" line because it covers the most frequent applications on site: the classic external corner trim for visible edges, closing profiles to finish end-of-covering borders, and terminal profiles commonly used on cantilever slabs or balconies. They are also suitable for the most exposed areas subject to impacts and stresses, where protection is not aesthetic but functional.



Satin-finished aluminum terminal profile

Code		Size	Leng	Unit	Box	Barcode
0000050	Straight term. profile	8	270	Pc	50	8054806647329
0000051	Straight term. profile	10	270	Pc	50	8054806647336
0000052	Straight term. profile	12,5	270	Pc	50	8054806647343



Finish designed for the closure and protection of the edges of wall and floor coverings. It guarantees a clean cut at the end of installation, covers the edge of the tile and protects it from impacts, chipping and wear, improving the aesthetic result with a minimal and technical profile. In the satin-finished aluminum color.



Bright aluminum terminal profile

Code		Size	Leng	Unit	Box	Barcode
0000055	Straight term. profile	8	270	Pc	50	8054806647350
0000056	Straight term. profile	10	270	Pc	50	8054806647367
0000057	Straight term. profile	12,5	270	Pc	50	8054806647374

Finish designed for the closure and protection of the edges of wall and floor coverings. It guarantees a clean cut at the end of installation, covers the edge of the tile and protects it from impacts, chipping and wear, improving the aesthetic result with a minimal and technical profile. In the bright aluminum color.






Satin-finished aluminum square profile Code

Code	Size	Leng	Unit	Box	Barcode
0000065 Square profile	8	270	Pc	50	8054806647411
0000066 Square profile	10	270	Pc	50	8054806647428
0000067 Square profile	12,5	270	Pc	50	8054806647435


Technical trim for closing and protecting the edges of wall and floor coverings, featuring a clean and modern aesthetic. The square geometry ensures precise alignment with the tile, covers the edge and protects it from impacts, chipping, and wear, improving the durability of the installation. In the satin aluminium finish.



Satin-finished aluminum round profile Code

Code	Size	Leng	Unit	Box	Barcode
0000060 Round profile	8	270	Pc	50	8054806647381
0000061 Round profile	10	270	Pc	50	8054806647398
0000062 Round profile	12,5	270	Pc	50	8054806647404


Finish for the closure and protection of the edges of wall and floor coverings, ideal when a softer and more continuous result is desired. The rounded section reduces sharp edges, improves contact safety and protects the tile edge from impacts, chipping and wear, maintaining a clean aesthetic result. In the satin-finished aluminum color.



Satin-finished aluminum balcony profile Code

Code	Size	Leng	Unit	Box	Barcode
0000070 Balcony profile	10	270	Pc	50	8054806647442

Finishing profile designed to protect the outer edge of balconies and terraces, engineered to ensure an effective drip edge and a clean, orderly closure of the flooring. The dedicated geometry helps channel water away from the façade, reducing runoff and infiltration on the front edge, while protecting the tile edge from impacts, chipping, and long-term deterioration. Ideal for outdoor use, it improves the durability of the installation and defines a straight, professional-looking edge.



Mixing Tools



GEAR MOTOR TRANSMISSION
SAFETY LIMIT SWITCH FOR PADDLE STOPA
65 L PLASTIC TANK
TRANSPORT WHEELS AND HANDLES

GOLIATH MX-65

Powerful, robust, and quiet mixer, suitable for uniformly mixing medium- and high-viscosity materials such as adhesives, paints, plasters, fillers, resins, and plaster mixes.



TECHNICAL DATA	GOLIATH MX-65
Mixing Volume	65 L
n. Pala Turns	54
Engine Power	750 w
Blade Diameter	490 mm
Size mm	600x650 - H 760
Weight	40 Kg

Code	Watt	Unit	Box	Barcode
0041050 GOLIATH MX 65 Lt	750	Pz	1	8054806645080


Code	Unit	Box	Barcode
0041051 Mixer blade Ø49	Pz	1	8054806645097
0041052 65 Lt bucket	Pz	1	8054806645103
0041053 16A-230V switch	Pz	1	8054806646414



Elica mixer whisk

Code	Ø	Unit	Box	Barcode
0041000 M14 Attack	120	Pz	6	8054806643192
0041001 M14 Attack	140	Pz	6	8054806646346

Professional 60 cm helical mixing whisk, with M14 connection, ideal for mixing glue, cement and high-density or low-fluidity materials.



4-spoke mixer whisk

Code	Ø	Unit	Box	Barcode
0041010 Hex attack	120	Pz	6	8054806641389

Professional 4-spoke 60cm mixing paddle with M14 connection, ideal for mixing glue and cement.



Professional Mechanical Pencil

Professional 5.6 mm mechanical pencil for construction site marking: ideal for tilers and general construction work, allowing clean and clearly visible markings on various surfaces. In addition to the classic graphite lead for precise lines on tiles, screeds, drywall, and wood, it also includes red and white wax leads, designed for easy marking on metals and materials where graphite is less visible. The integrated sharpener allows you to always maintain an efficient tip, improving precision and speed during installation, cutting, and pre-assembly operations, even in dusty conditions and under heavy use.

Code	Ø	Unit	Box	Barcode
0022646 Pencil kit - 3 leads	5,6	Pack	12	8054806646872
Replacement mines				
0022647 Graphite - 6 pcs	5,6	Pack	12	8054806647138
0022648 Red - 6 pcs	5,6	Pack	12	8054806647145
0022649 White - 6 pcs	5,6	Pack	12	8054806647152



Wooden pencil

Code	Size	Unit	Box	Barcode
0022651 Wooden pencil	18 cm	Pc	12	8054806645882

Wooden carpenter's pencil, unsharpened, dimensions 17.7 x 1.2 cm. Ideal for precise markings on wood and other materials.



Profile Gauge

Code	Unit	Box	Barcode
0031086 Hangable	Pc	4	8054806645455

130x250 mm profile jig, ideal for tracing irregular shapes and complex contours on tiles, parquet, and more. Equipped with a locking device and adjustable measuring cup.



Joint scraper with ergonomic handle

Code	Unit	Box	Barcode
0031085 Exhibition box	Pc	8	8054806643208

Joint scraper with removable and replaceable carbide blade, ergonomic plastic handle, ideal for removing floor joints.

**Free Gift:**

Turbo Cutting Disc, 230 mm diameter, Ceramic Cutting

Equipment includes:

- 1 – Painted sheet metal base, also functioning as a water container;
- 2 – Work surface made of painted iron and rubber-coated steel;
- 3 – Motor sliding guide in aluminum alloy, tiltable up to 45°;
- 4 – Blade cover and motor head casing in metal;
- 5 – Motor with cooling fan and thermal protection;
- 6 – Water recirculation pump with filter;
- 7 – Workpiece support bracket, adjustable for diagonal cuts;
- 8 – Diamond blade for wet cutting.

RAILCUT-125

Water cutter with stainless steel table and cutting capability, including 45-degree angled cuts.

Code	Size	Unit	Box	Barcode
0045010 Railcut 125 inox ø 230	165x65x110	Pc	1	8054806642577
0045011 Railcut 125 inox ø 250	165x65x110	Pc	1	8054806643864

Accessories

Code		Unit	Box	Barcode
0045015 Transport wheel kit		Pc	1	8054806643871
0045016 Non-slip stainless steel side tab		Pc	1	8054806643963
	Ø			
0045021 Hydro Blade - 230	230	Pc	1	8054806646988
0045020 Hydro Blade - 250	250	Pc	1	8054806646971





*Blade diameter: 230/250 mm
Blade bore: 25.4 mm
Cutting height: 45/55 mm
Cutting length: 125 mm
Motor power: 1.5 kW
Voltage: 230 V, 50 Hz*

1	ALUMINUM GUIDE
2	MOTOR HEAD
3	FRAME
4	WATER TANK
5	EXTERNAL BLADE COVER
6	LOCKING NUT
7	EXTERNAL FLANGE
8	DIAMOND BLADE
9	INTERNAL FLANGE
10	ADJUSTABLE PROTRACTOR
11	WORKPIECE SUPPORT GUIDE
12	EAR
13	WING SCREW
14	HANDWHEEL



Angle Grinder 1200W

Soft start and
6-speed settings.



The VT 1200W angle grinder, equipped with a 1200 W electric motor, delivers powerful and versatile performance thanks to its 6 adjustable speeds, allowing a rotation range from 3,000 to 11,000 RPM. This makes it ideal for a wide range of tasks, from cutting to grinding and polishing.

The protective cover is designed for quick removal without tools, simplifying use and maintenance. The built-in safety switch prevents accidental restart in the event of power outages, enhancing user safety.

The side handle can be mounted on either the right or left side, providing optimal control and comfort for both right- and left-handed users. The grinder comes with a convenient carrying bag, perfect for storing the tool and its accessories.

Ideal for grinding, cutting, deburring, and polishing materials such as metal, aluminum, ceramic, and concrete.

Contents:

- 1x Angle Grinder
- 1x Protective Guard
- 1x Ergonomic Soft-Touch Handle
- 1x Tightening Wrench
- 1x Replacement Brushes
- 1x User and Maintenance Manual
- 1x Carrying Case



Code	Watt	Unit	Box	Barcode
0045003 VT 1200W	1200	Pc	1	8054806645813



45° Cutting Guide

This accessory allows for precise 45° bevels on the edges of tiles and slabs, ensuring a professional and uniform finish. Its design guides the angle grinder in a stable and controlled manner along the material's profile, minimizing vibrations, tilt errors, and material waste. Ideal for tilers, stonemasons, and construction professionals, it enables safer, faster, and more precise work, even on large pieces or delicate surfaces. Its ease of use also makes it suitable for less experienced operators, improving both efficiency and the quality of the final result.

Code	Size	Unit	Box	Barcode
0045004 Cutting Guide 45°	39x9	Pc	1	8054806645196

For angle grinders Ø 115/125 mm (universal attachment).
Use diamond blades for ceramic/stone suitable for 45° angles.



Cordless Mini Angle Grinder



18V battery with 6-speed settings.

The 18V cordless mini angle grinder is the ideal tool when precision, control, and freedom of movement are required. Compact and easy to handle, it is perfect for working in tight spaces and for finishing tasks where a full-sized grinder would be overkill.

Thanks to the adjustable speed, you can tailor the performance to the type of work and material, achieving cleaner cuts and more controlled finishes. Compatible with 45 mm and 50 mm discs, it is suitable for cutting, deburring, finishing, and polishing materials such as metal, aluminum, ceramic, and concrete.

Contents:

- 1x Mini Angle Grinder
- 2x 18V Batteries
- 1x Ø 45 mm Ceramic Cutting Disc
- 1x Ø 50 mm Ceramic Cutting Disc
- 2x Ø 50 mm Metal Cutting Discs
- 2x Tightening Wrenches
- Adapters and Screws

Code	Volt	Unit	Box	Barcode
0045002 Cordless Mini Angle Grinder	18	Pz	1	8054806642713



Diamond Cutting Discs Ø 230

Monster Animal Edition



***Fast and sharp,
just like a Tiger***

TURBO Diamond Blade

The 230 mm "Tiger" Turbo Diamond Blade is a highly precise and durable product, ideal for cutting materials such as granite, natural stone, and porphyry. Its high quality ensures reliable performance over time and good cutting speed, even in dry-use conditions. This makes it an essential tool for precision work. The striking graphics make it a limited edition.

Code	Ø	Unit	Box	Barcode
0040151 Tiger - 22,23	230	Pc	3	8054806646131

Code	Ø	Unit	Box	Barcode
0040183 Kong - 22,23	230	Pc	3	8054806640573



***Strong, versatile,
like a Gorilla.***

Segmented Diamond Blade

The 230 mm "Kong" Segmented Diamond Blade is extremely versatile and durable, ideal for cutting a wide range of materials on-site without frequent blade changes. Perfect for dry cutting, it is an essential tool for renovation work on various surfaces. Its striking graphics, in a limited edition, add a unique and distinctive touch to the product.



Diamond Cutting Discs Ø 115 – Designed for Porcelain Stoneware



The evolution of a TOP disc!

Katana Gold Line

Ø115 mm Diamond Blade for angle grinders, ideal for cutting porcelain stoneware and ceramic. Ultra-thin 1.4 mm thickness for fast, precise cuts with a clean edge; the "diamond" profile groove and stiffening ring increase stability and performance even on the hardest materials. 22.23 mm arbor hole.

Code	Ø	Unit	Box	Barcode
0040200 Katana Gold	115	Pz	10	8054806643789

Code	Ø	Unit	Box	Barcode
0040205 Yari Gold	115	Pz	10	8054806643833



Unbeatable on thick materials.

Yari Gold Line

Ø115 mm Diamond Blade for angle grinders, designed for fast cutting of porcelain stoneware, including thick slabs (approximately 14–20 mm). The turbo edge with grooves helps to "bite" into hard materials and cool the cutting area, reducing overheating and performance drops. Suitable for dry use and also for 45° cuts.



Cutting Discs

Ceramics are becoming increasingly important in interior design, thanks to a continuously improving level of quality. This development not only makes them central to interior aesthetics but also more expensive.

KATANA



Code	Ø	Unit	Box	Barcode
0040170 Katana	115	Pc	10	8054806640559
0040172 Katana	125	Pc	10	8054806646100

Katana diamond cutting disc, 10 mm diamond rim, 1.4 mm thickness.
Ideal for cutting porcelain stoneware, klinker, marble, and granite.

RAPIER



Code	Ø	Unit	Box	Barcode
0040165 Rapier	115	Pc	10	8054806645417
0040167 Rapier	125	Pc	10	8054806646124

Diamond cutting disc Rapier, 10 mm diamond crown, 1.2 mm thickness.
Ideal for cutting porcelain stoneware, klinker, marble, granite, quartz.

SCIABOLA



Code	Ø	Unit	Box	Barcode
0040150 Sciabola	115	Pc	10	8054806640535
0040152 Sciabola	125	Pc	10	8054806646117

Diamond cutting disc Sciabola, 10 mm diamond crown, 1.6 mm thickness.
Narrow segments for clean and fast cutting, ideal for granite, quartz, concrete, fiber cement, pumice, brick, marble.

ALABARDA



Code	Ø	Unit	Box	Barcode
0040192 Alabarda	125	Pc	10	8054806646148

Alabarda cutting and grinding disc, 30 mm diamond crown, 1.0 mm thickness.
Fast and chip-free cutting.
Ideal for glass, porcelain stoneware, marble, slabs, etc.



For this reason, it is essential to handle them with the utmost care. Our diamond cutting discs are designed to ensure exactly that. Made from the finest raw materials, they provide precise and clean cuts, helping to preserve the integrity and elegance of high-quality ceramics, while reducing the risk of accidents and protecting the operator's health.



DAO

Code	Ø	Unit	Box	Barcode
0040175 Dao	115	Pc	10	8054806645400

Diamond cutting disc Dao, 115 mm diameter, 1.2 mm thin blade for smooth, chip-free cuts. Ideal for Dekton, Lamiram, Neolith, Lapitech, Geoluxe, Kerlite.



EXCALIBUR

Code	Ø	Unit	Box	Barcode
0040180 Excalibur	115	Pc	10	8054806640566

Diamond cutting disc Excalibur, 115 mm diameter, 10 mm diamond crown, 2.5 mm thickness. Ideal for heavy-duty cutting of hard stones such as porcelain stoneware, klinker, marble, granite, and quartz.



GLADIO

Code	Ø	Unit	Box	Barcode
0040160 Gladio	115	Pc	10	8054806640542

Disc ideal for DIY, 115 mm diameter, 10 mm diamond crown, 2.3 mm thickness. Perfect for cutting hard materials such as brick, concrete, pumice, tuff, poroton, fiber cement, marble.



Plaster Board
Cartongesso



Wood Nails
Chiodi per Legno



Wood
Legno



Plastic
Plastica

OMNIA

Code	Ø	Unit	Box	Barcode
0040155 Omnia	115	Pc	10	8054806645431

Universal tungsten carbide cutting disc, 115 mm diameter. Ideal for precise cuts on plastic, wood, drywall, and wood nails.



Grinding wheels, discs, and abrasive pads

The increasing use of highly durable materials in construction has created the need for increasingly advanced and high-performance tools. The extensive use of hard ceramic materials has made traditional tools ineffective. To meet these challenges, diamond grinding wheels are the ideal solution. These tools, made from a combination of steel and diamond powder, are designed for grinding tough materials such as single-fired ceramics, porcelain stoneware, and

similar surfaces.

The diamond grinding wheels we offer stand out for their high quality, providing superior durability while ensuring precise cuts. Their reliability makes the work of professionals more efficient, while minimizing the risk of damage to the materials being processed. Using diamond grinding wheels allows for precise results, reducing working time and improving the overall quality of the finished work.

Diamond Abrasive Wheel Ø125

Code	Ø	Unit	Box	Barcode
0040058	125	Pc	6	8054806643413


The diamond grinding wheel is designed for smoothing hard surfaces such as cement, concrete, bricks, stones, marble, etc. Its solid and durable structure, made from high-quality raw materials, ensures high performance, fast operation, and long lifespan. The enlarged holes allow for improved extraction of dust and debris generated during grinding. The 6 mm thick segmented diamond rim is positioned to provide not only uniform and fast material removal but also enhanced debris flow toward the extraction holes.



Diamond Abrasive Disc Ø125

Code	Ø	Unit	Box	Barcode
0040057	125	Pc	6	8054806645073

The RCD process is a technology for producing high-density diamond segments through molecular sintering. The RCD grit consists of a high concentration of diamond with a minimally used metal bonding matrix, which gives the RCD diamond abrasive plate an excellent ability to retain diamonds. The RCD diamond abrasive plate is ideal for removing hard-to-treat materials such as tile adhesives, glues, epoxy products, paints, and more. The diamond-studded surface is mounted on a perfectly flat plate to ensure uniform, level, and fast removal. The plate's design also promotes better debris flow toward the vacuum holes.



Flap Disc 50+50

Flap discs for ceramics are essential tools for those seeking precision and versatility when working with hard materials such as porcelain, ceramic, granite, marble, natural stone, and glass.

Thanks to their advanced structure, they allow chamfering, grinding, shaping, and finishing surfaces with exceptional accuracy. Compatible with angle grinders, they can be used both wet and dry, providing high performance without

vibrations.

Featuring a high flap density of 50+50 and available in two diamond grits (60 for roughing and 120 for finishing), they ensure optimal results: a smooth, even, and chip-free surface. Comfortable to use and easy to control, these discs are ideal for those seeking durability, efficiency, and high-quality precision work.

Code	Ø	Unit	Box	Barcode
0040065 #60	115	Pc	3	8054806646278
0040066 #120	115	Pc	3	8054806646285
0040067 #200	115	Pc	3	8054806643635

Main features

Versatile use: compatible with any angle grinder

Dual mode: suitable for both dry and wet applications

Excellent performance: high material removal rate with no vibrations

Comfortable: ensures smooth operation

Additional advantages


High flap density (50+50): longer life and superior performance

Two different diamond grits

Roughing 60: fast and aggressive material removal

Finishing 120: for a smooth and even surface


50 layers
+
50 layers





Abrasive Disc Tungsten

Wood, paint, concrete, bricks, plaster, marble, tiles, fiberglass, glues and adhesives, PVC, steel, etc.



Code	Ø	Unit	Box	Barcode
0040100 #14 - Hard	115	Pc	3	8054806640580
0040101 #24 - Medium	115	Pc	3	8054806640597
0040102 #36 - Soft	115	Pc	3	8054806640603

Tungsten carbide is an inorganic carbide. These materials are among the hardest substances known and are used in industrial machinery, cutting tools, abrasives, other tools and equipment, projectiles, etc. Tungsten carbide is about twice as rigid as steel, with a Young's modulus of approximately 530–700 GPa and has double the density of steel, almost halfway between that of lead and gold. This material has been used to create this extremely strong and versatile disc, suitable for the abrasion of many different materials, while maintaining very high performance over time.

Support flange Silicon Carbide discs



Code		Unit	Box	Barcode
0040124 Flange kit + discs		Pack	3	8054806647084
Silicon Carbide disc	Ø	Unit	Box	Barcode
0040125 # 40	75	Pc	12	8054806647091
0040126 # 60	75	Pc	12	8054806647107
0040127 # 80	75	Pc	12	8054806647114
0040128 # 120	75	Pc	12	8054806647121

Accessory for angle grinder with M14 connection designed for processing porcelain stoneware. The system maintains constant contact of the disc on the surface, adapting to the plane of the tile and ensuring precise control during use.

The flexible structure reduces the risk of marks and overheating, improving the quality of the finish on edges and visible surfaces. Ideal for finishing and chamfering operations, it is designed for professional use where precision and final results are essential.

Includes 4 silicon carbide discs grit 40-60-80-120



Mini diamond disc with spacer



Code	Ø	Unit	Box	Barcode
0040145 Mini turbo	60	Pc	12	8054806645752

The mini diamond disc is a very useful tool for solving many issues in the installation of floors and wall coverings. Its small size allows for very precise cuts, such as those needed for switch boxes and other accessories. It also enables cutting through the mounting adhesive between the tile and the substrate, which is useful when a repair or extension of flooring or wall covering is required on a surface where adhesion has already occurred.



CARBIDE BITS

Drilling particularly hard wall tiles has always been a challenging task, traditionally requiring the use of diamond-tipped bits. This material, known for its incredible hardness, has some limitations: it is sensitive to heat and pressure. To achieve effective results, a lubrication and cooling system was necessary, which demanded time and attention, making the operation laborious and impractical. Today, thanks to advances in the design of carbide bits, a simpler and more innovative solution has been developed. These new bits offer

a more accessible and versatile alternative, allowing tiles to be drilled with greater ease. This innovation not only reduces costs and time required for the job, but also improves the quality and efficiency of the operation. This advancement represents a significant advantage for professionals in the field, simplifying a procedure that previously required complex tools and precautions.

Code	Ø	Unit	Box	Barcode
0040542 Ceramic bit	6	Pc	6	8054806646360
0040543 Ceramic bit	8	Pc	6	8054806646377
0040544 Ceramic bit	10	Pc	6	8054806646384



Diamond Drill Bit


Technological advancement and the use of increasingly durable and resistant materials in construction have made it necessary to develop ever more professional and high-performing supports and equipment. This need is no different in the world of tiles, where the widespread use of hard ceramic materials makes processing with traditional tools difficult.

For this reason, it is essential to use products made from a mixture of steel and extremely hard diamond powder, which allow for cutting and shaping these materials. Our diamond hole bits are essential for drilling hard materials such as single-fired ceramics, porcelain stoneware, and others. Thanks to their high-quality composition, they ensure precision and

long-lasting durability, greatly facilitating the work of professionals in the field. These tools not only improve efficiency but also reduce the risk of material damage, guaranteeing excellent and highly precise results.



Diamond Drill Bit Blue Line




Code	Ø	Unit	Box	Barcode
0040500 Dry bit Blue	6	Pc	3	8054806640672
0040501 Dry bit Blue	8	Pc	3	8054806640689
0040502 Dry bit Blue	10	Pc	3	8054806640696
0040503 Dry bit Blue	12	Pc	3	8054806640702
0040504 Dry bit Blue	14	Pc	3	8054806640719
0040505 Dry bit Blue	16	Pc	3	8054806640726
0040510 Dry bit Blue	18	Pc	3	8054806643437
0040511 Dry bit Blue	20	Pc	3	8054806640733
0040512 Dry bit Blue	25	Pc	3	8054806640740
0040513 Dry bit Blue	30	Pc	3	8054806640757
0040514 Dry bit Blue	35	Pc	3	8054806640764
0040515 Dry bit Blue	40	Pc	3	8054806640771
0040516 Dry bit Blue	45	Pc	3	8054806640788
0040517 Dry bit Blue	50	Pc	3	8054806640795
0040518 Dry bit Blue	55	Pc	3	8054806640801
0040519 Dry bit Blue	60	Pc	3	8054806640818
0040520 Dry bit Blue	65	Pc	3	8054806640825
0040521 Dry bit Blue	70	Pc	3	8054806640832



Code	Unit	Box	Barcode
0040540 Ø20-Ø30-Ø35-Ø55-Ø60	Pc	1	8054806640863






Diamond Drill Bit Gold Line



Code	Ø	Unit	Box	Barcode
0040600 Dry bit Gold	6	Pc	3	8054806641051
0040601 Dry bit Gold	8	Pc	3	8054806641068
0040602 Dry bit Gold	10	Pc	3	8054806641075
0040603 Dry bit Gold	12	Pc	3	8054806641082
0040604 Dry bit Gold	14	Pc	3	8054806641099
0040605 Dry bit Gold	16	Pc	3	8054806641105
0040611 Dry bit Gold	18	Pc	3	8054806641112
0040612 Dry bit Gold	20	Pc	3	8054806641129
0040614 Dry bit Gold	25	Pc	3	8054806641143
0040616 Dry bit Gold	30	Pc	3	8054806641167
0040618 Dry bit Gold	35	Pc	3	8054806641174
0040620 Dry bit Gold	40	Pc	3	8054806641198
0040622 Dry bit Gold	45	Pc	3	8054806641211
0040623 Dry bit Gold	50	Pc	3	8054806641228
0040624 Dry bit Gold	55	Pc	3	8054806641235
0040625 Dry bit Gold	60	Pc	3	8054806641242
0040626 Dry bit Gold	65	Pc	3	8054806641259
0040628 Dry bit Gold	70	Pc	3	8054806641273
0040631 Dry bit Gold	80	Pc	3	8054806641303



Code	Unit	Box	Barcode
0040640 Ø10-Ø20-Ø30-Ø35-Ø40-Ø55-Ø60	Pc	1	8054806641358



Foretto diamantato Silver Line



Code	Ø	Unit	Box	Barcode
0040550 Dry bit Silver	6	Pc	3	8054806640870
0040551 Dry bit Silver	8	Pc	3	8054806640887
0040552 Dry bit Silver	10	Pc	3	8054806640894
0040553 Dry bit Silver	12	Pc	3	8054806640900
0040561 Dry bit Silver	20	Pc	3	8054806640931
0040562 Dry bit Silver	25	Pc	3	8054806640948
0040563 Dry bit Silver	30	Pc	3	8054806640955
0040564 Dry bit Silver	35	Pc	3	8054806640962
0040565 Dry bit Silver	40	Pc	3	8054806640979
0040566 Dry bit Silver	45	Pc	3	8054806640986
0040567 Dry bit Silver	50	Pc	3	8054806640993
0040568 Dry bit Silver	55	Pc	3	8054806641006
0040569 Dry bit Silver	60	Pc	3	8054806641013
0040570 Dry bit Silver	65	Pc	3	8054806641020
0040577 Dry bit Silver	120	Pc	3	8054806645363



Gold Line Diamond core with drill attachment

Code	Ø	Unit	Box	Barcode
0040532 Attacco hex	5	Pc	3	8054806645820
0040533 Attacco hex	6	Pc	3	8054806645837
0040534 Attacco hex	8	Pc	3	8054806645844
0040535 Attacco hex	10	Pc	3	8054806645851
0040536 Attacco hex	12	Pc	3	8054806645868

Code	Set 5 Drilled	Unit	Box	Barcode
0040531	Ø5-Ø6-Ø8-Ø10-Ø12	Pc	3	8054806645301

Diamond bits, reduced diameter with drill attachment. Ideal for drilling hard surfaces such as porcelain stoneware, marble, and ceramic. Low vibration and minimal noise.



Diamond Cutter Gold Line with M14 Shank

Code	Ø	Unit	Box	Barcode
0040490 M14 Shank	10	Pc	3	8054806643536
0040491 M14 Shank	20	Pc	3	8054806643543

Universal diamond cutters with M14 shank, available in two versions with 10 mm and 20 mm diameters. Ideal for enlarging and shaping holes in porcelain stoneware, marble, granite, and quartz.



Adapter to convert M14 shank to drill attachment

Code	Unit	Box	Barcode
0040525 M14 to Hex Shank Adapter	Pc	3	8054806640849



Coolant fluid for diamond bits and drill bits

Code	Gr	Unit	Box	Barcode
0040641 Coolant fluid	20	Pc	6	8054806642683

Vacuum Suction Guide for Drill Bits

Code	Ø	Unit	Box	Barcode
0040529	4/12	Pc	1	8054806645240
0040530	20/80	Pc	1	8054806643666


Plastic suction guides for diamond bits. Ensures precise and stable drilling on smooth surfaces, reusable and easy to store.



Diamond Abrasive Sponge

Code	Size	Unit	Box	Barcode
0040050 #60	9,5x6	Pc	12	8054806643215
0040051 #120	9,5x6	Pc	12	8054806643222
0040052 #200	9,5x6	Pc	12	8054806643239
0040053 #400	9,5x6	Pc	12	8054806643246
0040049 Grit Kit 60-120-200-400		Pc	6	8054806644083

Diamond abrasive sponge, size 9.5 × 6 cm. Ideal for polishing flat and uneven surfaces, usable on wet or dry surfaces.



Support for Ø100 Diamond Polishing Pads M14

Code	Ø	Unit	Box	Barcode
0040055 Polishing pad	100	Pc	3	8054806643338



Electroplated Diamond Pad

Code	Ø	Unit	Box	Barcode
0040060 #60	100	Pc	3	8054806643253
0040061 #120	100	Pc	3	8054806643260
0040062 #200	100	Pc	3	8054806643277
0040063 #400	100	Pc	3	8054806643284


Electroplated "dry" diamond pad with hook-and-loop attachment, 100 mm diameter. Ideal for wet and dry polishing on stone, granite, marble, quartz, and concrete. The special diamond arrangement ensures longer-lasting durability.



Resin Polishing Diamond Pad

Code	Ø	Unit	Box	Barcode
0040070 #50	100	Pc	10	8054806643291
0040071 #100	100	Pc	10	8054806643307
0040072 #200	100	Pc	10	8054806643314
0040073 #400	100	Pc	10	8054806643321
0040074 #800	100	Pc	10	8054806643350
0040075 #1500	100	Pc	10	8054806643512

Dry honeycomb resin diamond pad with hook-and-loop attachment, 100 mm diameter. Perfect for polishing granite, concrete, marble, natural stone, and tiles. Can be used on any angle grinder.



Pump Suction

Pump suction cups are essential tools for tile installers, especially when handling large-format tiles and ceramic slabs.

Thanks to their ability to create a strong vacuum, they provide a secure grip on smooth and delicate surfaces, such as porcelain stoneware.

Using these devices greatly reduces the risk of breakage and makes transporting and positioning materials much easier.

The pump allows precise control of the vacuum, making pump suction cups indispensable for efficient and safe work.



Pump Suction Cup with Metal Handle

Code	Ø	Unit	Box	Barcode
0030101 Metal handle	20 cm	Pc	1	8054806645288

Pump suction cup with a 20 cm diameter, lifting capacity up to 50 kg, featuring three-layer rubber, release valve, and vacuum pump, with metal handle. Comes in a carrying case.



DOES NOT STAIN



VACUUM INDICATOR



METAL HANDLE



Pump Suction Cup with Plastic Handle

Code	Ø	Unit	Box	Barcode
0030100 ABS handle	20 cm	Pc	1	8054806645271

Pump suction cup with a 20 cm diameter, lifting capacity up to 50 kg, featuring three-layer rubber, release valve, and plastic handle. Comes in a carrying case.



Battery-Powered Suction Cup

*from April 2026



Automatic restart
in case of pressure loss

Battery-Powered Suction Cup with ABS Handle

Code	Size	Unit	Box	Barcode
0030102 Battery	9x17	Pc	1	8054806646964

Battery-powered suction cup with a lifting capacity of up to 100 kg, featuring three-layer rubber, release button, and ABS handle. Comes in a carrying case. Automatic restart in case of pressure loss.



ABS HANDLE



DISPLAY



USB-C RECHARGEABLE




Battery-powered electric suction cup with digital display, designed for the safe handling of tiles and slabs. Compact yet powerful, it provides a lifting capacity of up to 100 kg thanks to the electronically controlled suction system. Powered by a 1200 mAh, 3.7 V battery, it offers reliable runtime with a recharge time of about three hours. The digital display allows real-time monitoring of the suction cup's status, while the ergonomic handle ensures a secure grip and full control during use. In short: less strain, more precision, and a happier back. Automatic restart in case of pressure loss.

Code	Ø	Unit	Box	Barcode
0030080 Tile aligning tool	12 cm	Pc	3	8054806640344



Double Tile Suction Cup

Practical and versatile tool designed to position and adjust adjacent slabs, particularly useful for tiling and cladding work. Thanks to the handle mechanism, which allows the slabs to be brought closer together or moved apart, it enables precise adjustments. It is equipped with adjustable knobs and suction cups that ensure accurate leveling. Essential for tilers working with large-format tiles, providing valuable support for achieving high-quality installations.




Code	Ø	Unit	Box	Barcode
0030079 Angular double suc.cu.	12 cm	Pc	3	8054806645295



Angular Double Suction Cup

The double angular suction cup is designed to precisely bring together and align two tiles with 45-degree cut edges, making it ideal for creating perfect internal and external corners. Equipped with an adjustable knob and non-marking rubber suction cups, it allows precise leveling, ensuring a flawless finish and a clean, uniform edge. It is the ideal tool for tilers who want to create elegant, high-quality structures such as porcelain stoneware stair steps or bathroom shelves, optimizing workflow and improving the final results.





Single Suction Cup

Code	Ø	Unit	Box	Barcode
0030081 Plastic	12 cm	Pc	6	8054806643154
0030082 Metal	12 cm	Pc	6	8054806643178

Single-Rim Suction Cup in plastic and metal, 120 mm diameter, ideal for lifting smooth surfaces.

Double Suction Cup

Code	Ø	Unit	Box	Barcode
0030084 Plastic	12 cm	Pc	6	8054806643161
0030085 Metal	12 cm	Pc	6	8054806643185

Double-Rim Suction Cup in plastic and metal, 120 mm diameter, ideal for lifting smooth surfaces.



Slab Lifter

Code	Size	Unit	Box	Barcode
0030096 Slab Lifter	30/50 cm	Pc	3	8054806645257
0030097 Slab Lifter	40/60 cm	Pc	3	8054806645264

Adjustable slab lifter, ideal for lifting and positioning large slabs and tiles, featuring an ergonomic handle for easy and comfortable use.

Tile Lifting Tool

Code	Size	Unit	Box	Barcode
0030095 Tile lifter	18	Pc	2	8054806645189

Adjustable tile lifter, ideal for lifting and installing wall tiles. It allows tiles to be lifted and held in position up to 10 cm.

Non-Staining Rubber Mallet

Code	Weight	Unit	Box	Barcode
0030050 Non-staining	0.5 kg	Pc	6	8054806640320
0030060 Non-staining	1.0 kg	Pc	6	8054806640337



Structure Support for Laying Large-Format Tiles

The foldable modular structure is a practical innovation for laying large-format slabs on construction sites. Made with sturdy metal rods and high-strength plastic joints, it ensures lightness, stability, and ease of use. The accordion-style design allows for quick height and width adjustments, perfectly adapting to different slab sizes and site requirements.

Thanks to integrated wheels in the base joints, the structure is easily movable, providing maximum mobi-

lity even on uneven surfaces. Ideal for supporting and positioning heavy slabs, it reduces the risk of damage and facilitates leveling and fastening operations. Simple and quick to assemble, this structure is indispensable for construction professionals, offering a versatile, durable, and highly functional solution to ensure precision and safety during installation work.


Maximum opening size: 230 × 120 cm

Weight: 18 kg

Maximum load: 300 kg

Super-fast assembly

Includes carrying bag



Code	Size	Unit	Box	Barcode
0045102 Accordion Folding Table.	230x119	Pz	1	8054806642614

Lifting and Handling System for Large-Format Installation




This professional slab lifter is designed for the safe handling of large-format slabs on construction sites. Wide and thin slabs increase the risk of bending or loss of control; this system provides a stable grip, improved maneuverability, and greater protection for both the operator and the material.

The robust yet lightweight frame distributes the load evenly, reducing twisting during lifting and moving. The structure ensures stable support and assists in delicate operations such as picking up, positioning, and aligning slabs,

making critical steps on workbenches or trestles much easier.

Quick adjustment via knobs and fasteners allows the tool to be adapted to different operational needs, saving time and increasing efficiency. The package includes 6 ergonomic ABS-handled suction cups to enhance grip and control during maneuvers.

Less risk, more control, more productivity.



Code
0030110 Lifting System

Unit Box
Pz 1

Barcode
8054806647299

Includes
6 suction cups
Ø 20 cm
ABS handles



Blue broom with soft bristles.

Broom without handle.

The blue broom with soft bristles from 7C Tools is designed to provide gentle and effective cleaning on indoor surfaces. With compact dimensions of 33×9×9 cm, this broom is ideal for reaching narrow spaces and hard-to-reach corners. The soft bristles allow it to be used on delicate surfaces without causing damage, making it perfect for wooden floors, laminate, and other sensitive surfaces. The broom is practical, easy to handle, and of high quality, ensuring thorough and effortless cleaning. The handle is not included, but the broom is compatible with standard handles. Choose the 7C Tools blue broom with soft bristles for precise and gentle indoor cleaning.

Code	Size	Unit	Box	Barcode
0000020 Broom without handle	33 cm	Pc	12	8054806643130



Plastic-coated handle

Code	Size	Unit	Box	Barcode
0000035 Plastic-coated handle	130 cm	Pc	25	8054806643147

Blue metal broom handle, coated with plastic film, length 130 cm. Handle only.





Industrial broom and floor brush

Industrial broom with screw attachment

7C Tools industrial broom, 35 cm wide, perfect for cleaning hard and dirty surfaces. Equipped with stiff bristles and a sturdy wooden base, this broom ensures long-lasting durability even in demanding environments. The threaded connection allows easy attachment of a handle, making it versatile and ready to use with different types of handles. Supplied without handle, it can be easily paired with a suitable handle to complete your cleaning tool. Ideal for professionals and industrial settings, the 7C Tools industrial broom ensures effective and long-lasting cleaning

Code	Size	Unit	Box	Barcode
0000010 Industrial broom without handle	35	Pc	10	8054806643109

Wooden Handle

Code	Size	Unit	Box	Barcode
0000031 Threaded wooden handle only	120	Pc	10	8054806643123

Raw wooden handle for industrial broom, with threading. Length 120 cm. Handle only.



Industrial scrub brush with metal attachment

The 7C Tools industrial broom is designed to deliver exceptional performance in industrial environments. Available in various widths, from 40 cm up to 100 cm, this broom is ideal for cleaning large and challenging surfaces. The sturdy wooden base and metal attachment ensure long-lasting durability and resistance, making it perfect for intensive use. Although supplied without a handle, it can be easily paired with a suitable handle to complete your cleaning tool. Choose the 7C Tools industrial broom for effective and long-lasting cleaning in your workspaces.

Code	Size	Unit	Box	Barcode
0000011 Industrial brush without handle	40	Pz	6	8054806643093
0000012 Industrial brush without handle	60	Pc	6	8054806643086
0000013 Industrial brush without handle	80	Pc	6	8054806643079
0000014 Industrial brush without handle	100	Pc	6	8054806643062

Wooden handle without threading

Code	Size	Unit	Box	Barcode
0000030 Wooden handle without thread	150	Pc	25	8054806643116

Rough wooden handle for industrial broom, with threading. Length 150 cm. Handle only.

Professional Utility Knives

The 7C Tools professional utility knives are designed to ensure precision and safety in cutting tasks. The range is extensive, including handles in plastic and metal, traditional blades, and the renowned black blades, with sizes ranging from 18 mm to 25 mm. The ergonomic handle

provides comfort and control during prolonged use. The sliding system is always reliable and precise, with a crisp click that allows easy blade length adjustment. Choose 7C Tools utility knives for reliability and excellent performance.



Professional Cutter with fixing screw

Code	Blade	Unit	Box	Barcode
0022621 Black/Blade Safety	25	Pc	12	8054806644946

Professional utility knife with 25 mm black blade, metal body, and ergonomic rubber grip. Equipped with a safety wheel and snap lock.

Replacement blades

Code	Blade	Unit	Box	Barcode
0022635 Black blade – pack 10 pc	25	Pack	20	8054806644977
0022636 Silver blade – pack 10 pc	25	Pack	20	8054806644984



Professional cutter

Code	Blade	Unit	Box	Barcode
0022620 Black/Blade	25	Pc	12	8054806644939
0022615 Black/Blade	18	Pc	12	8054806644922

Professional utility knife with 25mm and 18mm black blades, metal body, and ergonomic rubber grip. Includes two replacement black blades.

Replacement Blades

Code	Blade	Unit	Box	Barcode
0022633 Black - pack of 10 pcs	18	Pack	20	8054806644953
0022634 Silver - pack of 10 pcs	18	Pack	20	8054806644960



Hook Cutter

Code	Unit	Box	Barcode
0022622 hook blade - Mco ABS	Pc	3	8054806646889

Professional cutter with hook blade, plastic body, and safety screw.

Replacement Blades

Code	Unit	Box	Barcode
0022637 hook blade - pack of 3 pcs	Pack	3	8054806646896



Hook cutter with plastic handle

The 7C Tools utility knife with plastic handle and 18 mm blade is a versatile and practical tool for a wide range of cutting applications. The 18 mm black blade ensures precise, clean cuts, while the lightweight plastic handle provides a comfortable and secure grip at a highly competitive price. Supplied in a practical display box, it's easy to store and always within reach.



Code
0022623 Display box 15 pcs

Unit Box
Pc 15

Barcode
8054806645226



Professional cutter with black blade and plastic handle

The 7C Tools cutter with plastic handle and 18 mm blade is a versatile and practical tool for a wide range of cutting applications. The 18 mm black blade ensures precise and clean cuts, while the lightweight plastic handle provides a comfortable and secure grip at a very competitive price. Packaged in a convenient display box, it is easy to store and readily accessible whenever needed.



Code
0022601 ABS Handle

Lama Unit Box
18 Pc 6

Barcode
8054806645639

0022602 Display Box - 24 pcs

18 Box 1

8054806645349



Tape Measure

Code	Size	Unit	Box	Barcode
0020500	3 m	Pc	12	8054806646902
0020510	5 m	Pc	12	8054806641976
0020520	8 m	Pc	12	8054806641983



Metrical measure Tape

Code	Size	Unit	Box	Barcode
0020535 Fiber tape	10	Pc	3	8054806647169
0020536 Fiber tape	20	Pc	3	8054806647176



Double wooden meter

Code	Unit	Box	Barcode
0020550 Doub. wood. meter	Pc	10	8054806642478

Classic double wooden meter in two colors (white/yellow) with 10 sections, total length 2 meters, featuring an end piece for measuring angles.



Steel double meter

Code	cm	Unit	Box	Barcode
0020540 Stainless steel	30	Pc	3	8054806647183
0020541 Stainless steel	50	Pc	3	8054806647190

Stainless steel measuring ruler for tilers, corrosion-resistant and ideal for humid environments. Zero aligned with the edge for more precise cuts and markings. Clear and easy-to-read scale.



Hot cutter for insulation panels

The 7C Tools Hot Cutter for Insulation is a versatile and powerful tool designed to perform cuts, grooves, and recesses on insulation materials. Powered by 230V, this cutter is capable of making cuts with maximum dimensions of 125x60x25 cm, ensuring precision and efficiency in every job. The set includes a transformer with two outputs: one 40V to

power the cutter and one 12V to power the jigsaw, making it perfect for vertical cuts and holes. Additionally, the box includes a 5-meter replacement wire. Choose the 7C Tools Hot Cutter for Insulation to achieve professional and reliable results in your thermal insulation projects.

Code
0035001


Volt Unit Box
230 Pc 1

Barcode
8054806645035

Code
0035005 Replacement wire

Unit Box
Pc 1

Barcode
8054806645059



Jigsaw for shaping

Code
0035002

Volt Unit Box
12 Pc 1

Barcode
8054806645042

Shaping jigsaw with 12-volt power, performs cuts, grooves, and recesses with a maximum cutting depth of 25 cm. Ideal for vertical cuts and holes.

Code
0035005 Replacement wire

Volt Unit Box
Pc

Barcode
8054806645059

Hot knife 230V

Code
0035020 Hot knife
0035025 Replacement blade

Blade Unit Box
15 cm Pc 1
15 cm Pc 1

Barcode
8054806645066
8054806645448

Hot knife for polystyrene with ergonomic handle, operational in 15 seconds, 150 mm blade adjustable from 0° to 90°. Supplied in a carrying case.



230V Hot Knife Kit with Accessories

Code
0035040

Blade Unit Box
15 cm Pc 1

Barcode
8054806645318

The hot knife kit is the complete solution. Ergonomic handle, operational in 15 seconds, 150 mm blade adjustable from 0° to 90°. Supplied in a carrying case, the complete kit includes: No.1 Carrying case, No.1 Hot Knife, No.1 150 mm Blade, No.1 Directional support, No.1 Groove support,



Quality that lasts over time without **EVER PEELING**



Sponge rubber trowel with plastic handle

Code	Size	Unit	Box	Barcode
0031340 Orange	13x25	Pc	12	8054806642317
0031370 Orange	14x28	Pc	12	8054806642324



Code	Size	Unit	Box	Barcode
0031430 Blue	13x25	Pc	12	8054806642348



Sponge rubber trowel with aluminum base and wooden handle

Code	Size	Unit	Box	Barcode
0031335 Orange	14x22	Pc	12	8054806642300
0031435 Blue	14x22	Pc	12	8054806642355



Code	Size	Unit	Box	Barcode
0031411 Orange angled	38x7	Pc	12	8054806642584



Code	Size	Unit	Box	Barcode
0031341 Orange with handle	40x20	Pc	6	8054806647282





Plastering robot

Code	Size	Unit	Box	Barcode
0031045	45x9	Pc	2	8054806644038

Plastering trowel with aluminum frame and handle, equipped with 8 steel blades. Dimensions: 90 x 450 mm.



Plaster Scraper

Code	Size	Unit	Box	Barcode
0031040 Plaster scraper	25x15	Pc	12	8054806642171
0031050 Replacement plat	25x15	Pc	20	8054806642188

Plaster scraper for plaster with plastic handle and galvanized steel plate, size 25x15 cm. Useful for correcting leveling defects on plaster, with replaceable plates.



Full plastic trowel

Code	Size	Unit	Box	Barcode
0031130	20x30	Pc	50	8054806642225
0031140	14x44	Pc	50	8054806642232
0031150	27x35	Pc	30	8054806642249
0031160	26x42	Pc	30	8054806642256

Plastic plastering trowel entirely made of plastic, various sizes, lightweight and with a comfortable handle for prolonged use, ideal for smoothing fresh plaster and ensuring even application on walls and surfaces



Marchigiano Plastic trowel

Code	Size	Unit	Box	Barcode
0031060 "Marchigiano" grey	11x21	Pc	26	8054806642195
0031070 "Marchigiano" pink	11x21	Pc	36	8054806642201
0031061 Replac. sponge, grey	11x21	Pc	28	8054806643697
0031071 Replac. sponge, pink	11x21	Pc	28	8054806643475
0031059 Plastic handle	10x20	Pc	52	8054806642609



Marchigiano wooden trowel

Code	Size	Unit	Box	Barcode
0031072 Wooden handle	10x20	Pc	48	8054806643567
0031074 Wooden handle	15x20	Pc	36	8054806643574
0031073 Replac. sponge	10x20	Pc	28	8054806643581
0031075 Replac. sponge	15x20	Pc	28	8054806643598
0031076 Wooden handle		Pc	48	8054806644991



Plastering trowel with wooden handle, various sizes, lightweight, economical, and environmentally friendly.




- Internal parts in ZAMA alloy (zinc, aluminum, and magnesium)
- Impact and corrosion resistant
- Brass nozzle Ø 2 mm
- Stainless steel needle
- Nickel-plated brass tube Ø 10 mm

Professional gun

Code	Unit	Box	Barcode
0053110 Professional gun	Pc	6	8054806641518
0053121 Kit Snake	Pc	1	8054806641532

Professional gun for single-component polyurethane foam extrusion from pressurized cans.

The body is internally made of metal with a protective shell in PA6 plastic to safeguard the trigger and ensure durability and lightness.



APPLICATORS POLYURETHANE FOAM

Pistola Standard

Code	Unit	Box	Barcode
0053100 Standard gun	Pc	6	8054806641501





Manual silicone applicator

Code	Unit	Box
0053011 Professional silicone gun	Pc	6

Barcode
8054806642638

Capacity: 310 ml
Maximum Force: 350 kgf
Thrust Ratio: 18:1
Advance: 4.5 mm



Manual applicator for hard materials

Code	Unit	Box
0053030 Top resin gun	Pc	6

Barcode
8054806641440

Capacity: 410 ml
Maximum Force: 350 kgf
Thrust Ratio: 18:1
Advance: 4.5 mm



Manual applicator for bags

Code	Unit	Box
0053040 Sachet gun	Pc	3
0053041 Nozzle	Pc	20

Barcode
8054806641457
8054806641464

Capacity: 1170 g
Maximum Force: 350 Kgf
Thrust Ratio: 18:1
Advance: 4.5 mm



Manual applicator for loose material

Code	Unit	Box
0053050 Fast race	Pc	3
0053055 Race	Pc	3

Barcode
8054806641471
8054806643482



Manual powder remover

Code	Unit	Box
0053060 Powder remover pump	Pc	3

Barcode
8054806641488



Manual bag applicator

Code	Unit	Box
0053070 Manual applicator - 100 pcs	Pack	1
0053071 Manual applicator - Nylon Pcs	Pc	1

Barcode
8054806641495
8054806645646

Regular


cod. 0090035

Width: 100 cm

Depth: 50 cm

Height: 230 cm

Classic and versatile display solution, ideal for retail stores and showrooms. Modular structure composed of blocks 1 meter in length, configurable according to available space and connectable to each other to create continuous display walls. Comes with a perforated panel/optional accessories and a customizable header for clear brand communication.



Corner

cod. 0090025

Overall width: 120 cm

Overall depth: 160 cm

Overall height: 150 cm

Elegant and highly functional corner display, designed to make the most of the "dead" areas in the retail space. The reduced height allows the space to breathe and ensures full visibility of the section and products, making the display more organized and less cluttered. Modular and expandable structure, with the possibility to add elements and accessories as needed, always maintaining a clean layout consistent with the brand.



Expo Big

cod. 0090020

Width: 200 cm

Depth: 50 cm

Height: 345 cm

Classic and versatile display solution, ideal for retail stores and showrooms. Modular structure composed of 1-meter blocks, configurable according to the available space and connectable to create continuous display walls. Comes with a perforated/optional accessory panel and a customizable header for clear brand communication.



Expo Promo

cod. 0090030

Width: 100 cm

Depth: 65 cm

Height: 87 cm

Compact yet spacious basket display, perfect for promotional events and in-store activities: allows quick and organized display of loose or packaged products, making them highly visible. Robust and functional structure, easy to position and manage, with a customizable front panel to communicate brand and promotions on the go.



Cardboard floor-standing

cod. 0090005

Width: 40 cm

Depth: 38 cm

Height: 178 cm



Expo Discs

cod. 0090010

Width: 20 cm

Depth: 15 cm

Height: 70 cm



Counter Display

cod. 0090000

Width: 19 cm

Depth: 19 cm

Height: 30 cm



Expo Level

cod. 0090003

Width: 30 cm

Depth: 30 cm

Height: 36 cm



Wall Display

cod. 0090015

Width: 100 cm

Depth: 50 cm

Height: 230 cm

Lighter and more economical version,
made with thinner sheet metal.
Modular in 1-meter blocks, connectable,
with an optional accessory panel.
Ideal for standard displays, not
recommended for very heavy loads.



YOUR TILER'S CORNER





GENERAL TERMS AND CONDITIONS OF SALE OF 7C

Registered Office (Logistics):

Via E. Mattei, 141 – 62014 Corridonia (MC)

Production Site:

Via dei Mestieri, 9 – 62014 Corridonia (MC)

Loading and unloading:

Monday to Friday

from 08:30 to 12:30 and from 14:00 to 18:00

I. Changes to the price list

- We reserve the right to modify the price list at any time without prior notice, including prices, technical specifications, and sales conditions.

2. Order acceptance

- Orders are deemed accepted "subject to company approval," which may also be expressed by the mere fulfillment of the order. For each order received, an order confirmation will be sent and must be returned exclusively signed for acceptance.

3. Order fulfillment

- Orders are fulfilled according to availability and without obligation of immediate full supply. Any backordered items will be shipped as soon as they become available, in compliance with the conditions of the original order.

4. Package integrity

- Ordered quantities may be subject to variation in order to maintain package integrity. In the case of specific requests that do not comply with these rules, additional costs may apply.

5. Claims for damage or discrepancies

- Any claims for shortages or damage to packages must be reported to the carrier at the time of unloading and noted on the delivery note (DDT). Failing this, any right of recourse shall be forfeited. Claims relating to discrepancies between the goods received and the DDT/invoice will be considered only if reported within 5 working days from receipt of the goods.

6. Warranties and liability

- Supplied products are covered by the legal warranty for conformity defects, valid for a period of 12 months for business customers, unless otherwise specified. The warranty does not cover damage resulting from improper use, non-compliant installation, or customer negligence.

7. Product changes

- Photos, features, and descriptions shown in the price list are for illustrative purposes only. We reserve the right to make modifications for improvement without this constituting grounds for customer claims.

8. Prices

- Prices are net of VAT. Any promotions or discounts apply only under the terms and during the periods indicated.

9. Payment terms

- Minimum invoice order value: €100.00.
- Free shipping for orders over €600.00.
- For orders under the free shipping threshold, a shipping charge of €15.00 will be applied.
- An additional €15.00 fee will be applied for cash on delivery.
- Payments due later than 90 days from the end of the month following the invoice are not accepted.
- A €3.00 fee will be charged for each R.I.B.A. Any outstanding payments will incur a €4.50 charge.
- Delays in agreed payments will result in additional charges and the suspension of subsequent orders.

10. Delivery

- The date indicated in the order confirmation refers to the departure date from our warehouse.
- Stated delivery times are purely indicative and not binding. Any delays cannot constitute grounds for order cancellation or claims for compensation.

11. Jurisdiction

- For any dispute, the Court of Macerata shall have exclusive jurisdiction.

12. Applicability of the general conditions

- These general conditions apply to all transactions concluded between the Seller and the Buyer, without the need for explicit reference or specific agreement.

These conditions refer exclusively to Italian territory.



This image shows a full page of blank white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.



7c srl Tools



7ctools



7c_tools



7c srl



7c srl

Via Enrico Mattei, 141
62014 CORRIDONIA (ITALY)
+39 0733522243 info@7ctools.com
www.7ctools.com
p.iva 01963630437